

## PRED-ACK Proprietary for Reduced Traffic

Lathika.K<sup>1</sup>, Devi.N<sup>2</sup>, Mrs.E.Saraswath<sup>3</sup>

Dhanalakshmi College of Engineering, Kancheepuram District, Tamilnadu, India

### ABSTRACT

In this paper, we present the process between two or more networks for a reduced traffic system. It is mainly used for networking users. The PRED-ACK is used effectively for the transmission of data's. Here the unwanted strings are removed, hence providing strong network and bandwidth. The client compares newly received data with the previously received data. When there is no comparison the operation continues with no PRED-ACK. It is very useful to spread the maintenance of cloud elasticity. The main advantage of using this method is it will be highly useful for recent technology cloud users. It works on connection oriented application with other networking devices.

**Keywords:** Cloud elasticity, Minimizing traffic, PRED-ACK

**Nomenclature :** PRED-ACK: Predictive Acknowledgement, SACK : Selective Acknowledgement

TCP : Transmission Control Protocol, TRE : Traffic Redundancy Elimination

### I. INTRODUCTION

Cloud computing is a general term for the handover to the presenter their services over the Internet. They pay as they use. Cloud computing enables companies to consume compute as a utility which is similar to electricity or a telephone service rather than building and maintaining computing infrastructures motivated to use various traffic reduction techniques, in particular TRE, for reducing bandwidth costs.

Network traffic exhibits large amount of redundancy when different users on the same internet access or with similar content. Many diverse systems have explored how to eliminate this redundant content from network links and improve network efficiency. As Redundancy elimination techniques become more widely deployed and more tightly integrated into network infrastructure and protocols, it becomes crucial to understand the benefits to the trade-offs and design issues in these systems. It could also enable new routing protocols, similarly considering how to modify web applications by introducing data markers that help in-network redundancy elimination mechanisms to identify and remove redundancy more effectively with redundancy suppression is being implemented or not, each packet can be compressed by a compression algorithm such as

the deflate algorithm is used. The deflate algorithm replaces repeated strings with pointers and further uses Huffman coding to efficiently encode with commonly used symbols.

Cloud proprietary may not be favour with these technologies by what we are using in this system. They were trying to reduce the cost of bandwidth bills and thus they are not likely to invest in one. There was a huge requirement on works spaces, meeting rooms and work various part of offices. In such type of environment, the basic needs of requirements for both client side and the server-side to work were made very ineffective. Also the elasticity increases the workload to the server and migration for the information. Hence, it makes a severe drawback in today's throughput.

Using the sender's technique the cloud server checks the client status at regular intervals. Cloud load balancing and power optimization may guide the receiver's process and the surrounding of data migration where TRE is utilised at simultaneous process between tow transmission that may fail its efficiency due to the lost synchronization. Next, CDN is used which refers to Content Distribution Network. The process of this CDN is that the service point can change dynamically based on its location. In end-to-end solution there is an extra

feature for storage cost at the cloud side should be weighed opposed its bandwidth saving profits.

The solution which calculates its account on cloud side will result in low cost than the power of influences that includes client-side capabilities. It is clearly analyzed that this end-to-end solution is an huge amount of information to the servers, which may remove the cost package. It further enhances that there is an effect in maintenance which cause defect in its effect. We are using end-to-end TRE technique to rely its power upon for predictions to reduce the traffic.

Between the cloud and its end-users, the receiver will notice every action of incoming stream and tries to equal with the previously received data in the local store. For the long term data are stored in the separate storage place called local store and they were treated as metadata information which is kept locally.

The receiver need some data to access so it sends some predictions to the server along with the data signature and that becomes very easy to verify the hint and performs TRE operation when the hint get its match. By this operation, we can avoid the expensive of the sender-side with the absence of traffic redundancy. When the redundancy was found in the system the sender sends only the ACK for the prediction instead of sending data.

In the receiver side, PRED-ACK is replaced from well known as RE- an application which is otherwise known as Rabin fingerprinting many resultants are proved that it is superior to previous techniques.

To validate the receiver based TRE technique we execute, test and perform various concepts using PRED-ACK in a cloud surrounding. In this technique, we demonstrate cloud cost reduction was succeeding by a various client efforts for the purpose of saving the bandwidth in the client-side. We utilise the TCP option field to enhance their applications such as web, e-mail, etc.


We remark with the result and compare with prior received solution using terabytes. To result is thus verified and the solution gives that 30% redundancy is achieved by the user. Cost reduction is minimised to 20% for the cloud customers.

## II. METHODS AND MATERIAL

### ALGORITHM

The collection of information from the receiver to the PRED-ACK receiver which is analysed in the form of various sizes and types. The applicable data find its similar match in the receiver storage termed as *Data Store*. If two data's are found alike then the receiver retrieves the order of further data. With the help of build chain the receiver sends the attributes that are needed to the sender for the further data. Attributes refers to prediction which is considered as hint.


The prediction sent by the receiver includes the range of predicted data, hint and signature of the data. The sender catches the range in the order form and clarifies for that range. Once the output matches, it continues SHA-1 operation by sending acknowledgement message.



### STORE BOX - LOCAL STORAGE

In the receiver side, PRED-ACK contains a local store which holds huge size of information. The information consist of a unique identity and an address that will be following from one chunk to the other chunk with the previous storage. By the new entry the receiver verifies using SHA-1. Here, the unique identification is added to the store.

The deviation in the PRED-ACK makes the receiver to combine with another file. Using this the receiver can share the numbers within the LAN. The purpose helps to the elimination of redundant datas. By separating the datas as chunks there takes place increase in data transmission.




### PURPOSE OF PRED-ACK

When the new data arrives the receiver checks the respective signature for each data and looks for the equal data in its local store. Now the client begins the process by sending the new data that has to be found for the process. Here the PRED looks for a starting point in the byte stream and finds various subsequent chunks according to the PRED-ACK command. The receiver searches the PRED data with the already stored data (from the local store). If two data's are found alike then the receiver sends a PRED-ACK, the format will be in offset with PRED command.


The transmission shows a successful sign where the sender then acknowledges with a message. The copy of this message is then placed to the TCP buffer.

### IF MACHED FOUND




In case of failure, then the process carries with an normal operation without any PRED-ACK message.

### IF MACHED NOT FOUND



### ACKNOWLEDGEMENT PROCESS

This process works on the client side where the user's PRED message is further verified and sent with an sequence of TCP hint range (unique number). Now a keen calculation is handles between two different hints that are found in the TCP format under SHA-1 signature. When two SHA-1 signatures are found to be matched, then the sender can assume the actual message and then continues the process of displaying it to the user. This process is changed to many unique identification so that it can be handled under great security. The following representation includes the process in state machine format which explains the process of acknowledgement method.




### III. RESULTS AND DISCUSSION

#### PERFORMANCE COST

We restricted the operation of server and cost by the process of reducing the data redundancy level in the account of TRE system. Here, we are determining the server's traffic volume and CPU utilization without using the TRE system. The Server performance cost is undisturbed with both the network traffic volume and the CPU utilization. For example we are using one server and many clients for the process over the speed of 1 Gb/s network. We are using three various concepts –

A baseline no-TRE operation, PRED-ACK, EndRe-like. In our system, we use SHA-1 for measuring the entire outgoing traffic in the system. As we eliminate the redundancy data in the process and that makes the system to reduce the traffic over the transmission of data through various networks. By this process, we minimise the PRED-ACK server cost due to the saving of bandwidth by unsent data.

NOTE: In the above method, we decrease the redundancy of data to 20% and the operational cost to 25%.



## CHUNKING PATTERN

In our implementation, we are using a light weight chunking method (fingerprinting), named as PRED-ACK chunking scheme. This PRED-ACK chunking scheme is faster than the Rabin Fingerprinting method. The chunking speed of this scheme also increased when compared to other schemes. Here, we are measuring the speed of the SHA-1 signature.

### PRED-ACK MESSAGE PATTERN

Here, we are using two commonly unused TCP option codes. First one is to empower the option of PRED-ACK allow to send in a SYN portion to denote that the PRED-ACK portion was used later connection was established. The other one is for PRED-ACK message that might be sent across the established connection was permitted by the two parties.

## IV. CONCLUSION

In cloud computing, there is a higher necessity for TRE system to transfer a bulk of information in cloud and the users wait for drastic increase. The cloud environment explains the TRE system components and creating more disproportionate solutions. By this event, there must be a

necessity for TRE solution that decreases the cloud's operational cost during user mobility and cloud elasticity.

For this project, we are introduced PRED-ACK, a receiver based end to end TRE solution that will mainly reduce the cost of bandwidth in cloud. PRED-ACK does not demand for server to maintaining a continuous status of client and it qualifies the cloud elasticity and user mobility for eliminating the redundancy. Likewise PRED-ACK was qualified for removing the redundancy on information which comes to client from various servers in the absence of three-way handshake.

As we gathered a various of information to exhibit that PRED-ACK suits the different design goals and it has a clear benefits for sender based TRE, particularly the cloud estimated cost and buffering components are important. Besides, PRED-ACK takes place extra effort on the sender side to minimize the overall redundancy and thus helps to decrease the cost of cloud.

Two attractive development of project can provide added advantage to the PRED-ACK concept. First, here we are maintaining the data in the chain format by the attention of checking the chains in sequence order of LRU pattern. The new development in this process to operate using statistical research of chains of data that will empower various possibilities in data order as well as in corresponding predictions. The system may also admit more than one prediction at a time, and that is sufficient for one to be right for successful traffic elimination. Second, it is a way if action for optimization of the hybrid sender-receiver approaches based on distributing decisions draw from receiver's efficiency or server's cost differs

## V. REFERENCES

- [1] B.Aggarwal, A.Akella, A.Anand, A.Balachandran, P.Chitnis, C.Muthukrish, R.Ramjee and G.Varghese, "EndRE: An end-system redundancy elimination service for enterprises," in Proc. NSDI, 2010,pp.28-28.
- [2] "PACK source code," 2011 [Online]. Availale: <http://www.eyalzo.com/projects/pack>.
- [3] E. Lev-Ran, I.Cidon, and I.Z. Ben-Shaul, "Method and apparatus for reducing network traffic over low bandwidth links," US Patent 7636767, Nov.2009.