

# Wireless System for Precision Agriculture

Utkarsha Bhaisare, Rupali Patil, Aishwarya Somkuwar, Aarti Borkar, Ashwini Kumbhare, Gunakshi Kalsait

Department of Computer Science & Engineering, JD College of Engineering & Management, Nagpur,

Maharashtra, India

## ABSTRACT

A Huge amount of data is collected by the sensors from the end. Subsequently, this considerably big amount of data must be processed, analyzed and stored in a cost effective ways. In this manner, an enormous pool of computing resources and storage must be provided to compute this vast amount of data. We focused on introducing the latest technologies such as sensors, WSN to radically revise approaches to agriculture by collecting the data about the various parameters of soil, analyzes the data and performed the computations, giving the best optimal solutions for the farming. The application of computing in agricultural economy will open up a vast range of prospects, such as the vast storage of agriculture information, the cloud management of agricultural production process, the storage of agricultural economy information, early-warning and policy-making based on the agricultural products market, the tracing management of agricultural products quality.

**Keywords :** Sensors Computing, Resources, WSN, Tracing, Management.

## I. INTRODUCTION

The main contextual data elements of sensor based feedback advisory system include many different types of sensors, such as temperature, humidity, soil moisture, canopy temperature, canopy humidity and wind velocity, placed on the field with data loggers to communicate the observations to the server. Apart from sensor information the farmer uploads information about climatic conditions, soil conditions, rain and fertilization history, and the pesticide and insecticide history. By presenting all this information in the context of the farmer query, the expert can diagnose the problem and promptly provide advice to the farmer in his native language and maybe even using feedback suggestions. The classification and modeling of agricultural events, modeling of the agricultural experiences, and a method to browse through the history of agriculture experiences soil type, crop, crop variety, season, target, and if available fertility status. In the challenges involved in the

Developments of decision support system to be used by farmers as end user are presented, however aims to bridge the gap between farmers, agricultural experts, financial institutions, soil testing labs, agriculture market and other agriculture related institutions. We propose a novel experiential computing approach which aims to provide more insights to an expert by capturing, detecting, storing and analyzing the history of various events in agriculture. Each weather station possesses atmospheric, soil and plant parameters monitoring sensors; data logger and modem for data storage and transmission; battery to energize all blocks of the weather station and a solar panel based battery charging unit. The sensors that are available with weather station includes temperature, relative humidity, soil moisture, soil temperature, grass temperature, wind direction, wind speed, solar radiation, rain gauge, leaf temperature and leaf wetness, and virtual dew point sensor. The data logger on weather station collects the data from sensors and transmits. Each farmer, seeking the

service, is initially required to perform registration by providing the details of the field location, crop, crop type, soil type, petiole analysis reports, and history of irrigation, fertilizer and pesticide application.

## II. LITERATURE SURVEY

Agro-Advisory System for Rural Farmers present late blight disease forecasting protocol, by integrating sensor based mathematical disease forecasting models, with human participatory diagnosis using mobile phone application overlay mKRISHI system[1]. In Smart grid there are four categories of technologies to mention them; sensors and actuators, communication, owner low control and Supervisory Control and Data Acquisition systems SCADA[2]. Analysis of suitability and prospect of the application of computing in Agricultural Economy. The prediction and analysis of agricultural products market involves vast data, factors and complex computing. State machine replication behavior, virtual synchrony, or other strong, formally specified consistency models, up to some limited number of server failures[3]. At the extreme of this spectrum one finds Byzantine Fault Tolerance services, which can even tolerate compromise. Monitoring agricultural environment for various factors such as temperature and carbon monoxide along with other factors can be of significance[3]. So, there is a need to design of performance monitoring unit for reconfigurable embedded processor.

## III. EXISTING SYSTEM

In the current scenario, farmers have very less knowledge about the soil and its parameters level, percentage of carbon, nitrogen, water absorbing capacity etc. which plays a very big role in the crop production farming based on traditional knowledge so it is difficult for the them to predict that which type of soil is suitable for which type of crop and because of insufficient knowledge farmers are facing loss in the crop production degrading the economical structure of the farmers. As the scientific consensus

grows that significant climate change, in particular increased temperatures and precipitation, is very likely to occur over the 21st century economic research has attempted to quantify the possible impacts of climate change on soil. . So, there is a need to design of performance monitoring unit for reconfigurable embedded processor.

## IV. RESEARCH METHODOLOGY

In software design, communication protocol layers have the energy conservation for the center. Take the communication between the sensor nodes and the network coordinator as an example to introduce the flow of communication between the ZigBee modules. Before making communication, ZigBee module need effective initialization, When the server receives weather data from sensor nodes, the server will check the weather data With notification value by using decision Tree techniques. If it matches with the pre-conditions, it will notify the system administrator and record of the notification and automatically store weather data to the database




Fig1. Transmitter Circuit.

The communication between sensor nodes and sink nodes, and exchange between sink nodes and Networks coordination are similar. Software design mainly programmed with C# language combining for the collected data display, analysis and storage etc. When the server receives weather data from sensor

nodes, the server will check the weather data with notification value by using decision Tree techniques. If it matches with the pre-conditions, it will notify the stem administrator and record of the notification and automatically store weather data to the database.

## V. CONCLUSIONS

This research focuses on developing devices and tools to manage, display and alert the weather/disaster warnings using the advantages of a wireless sensor network system in mesh topology. The system can work over far distances. The system uses microcontroller and Xbee Wireless module base on the Zigbee/IEEE 802.15.4 standard. The developed system is very flexible and accurate. The developed system has core competency including display weather information, alert when weather conditions match using decision tree technique and keep weather information statistics.

## VI. REFERENCES

- [1]. Gottuk, T. D., Peatross, M. J., Roby, R. J. and Beyler, C. L. "Advanced air pollution Detection Using Multi-Signature Alarm Algorithm," Fire Suppression and Detection Research Application Symposium, pp. 140-149, February 24 -26, Orlando 1999.
- [2]. A.Wood, G. Virone, T. Doan, Q. Cao, L. Selavo, Y. Wu, L. Fang He, S. Lin, J. Stankovic, "Wireless Sensor Networks for Assisted-Living and Residential Monitoring", 2006 Department of Computer Science University of Virginia
- [3]. F.L.LEWIS, "Wireless Sensor Networks", Associate Director for Research", The University of Texas at Arlington .
- [4]. Arduino, <http://www.arduino.cc/> , March 2011 .
- [5]. References for business, "Decision Tree", March 2011 <http://www.referenceforbusiness.com/encyclopedia/Cos-Des/Decision-Tree.html>
- [6]. Zigbee Alliance, "ZigBee Technology", March 2011,

<http://www.zigbee.org/About/AboutTechnology/ZigBeeTechnology.asp> .

- [7]. P. Kinney, "ZigBee Technology: Wireless Control that Simply Works", Secretary of ZigBee BoDChair of ZigBee Building Automation Profile WG. 2 October 2003, Communications Design Conference .

### Cite this article as :

Utkarsha Bhaisare, Rupali Patil, Aishwarya Somkuwar, Aarti Borkar, Ashwini Kumbhare, Gunakshi Kalsait, "Wireless System for Precision Agriculture ", International Journal of Scientific Research in Science, Engineering and Technology (IJSRSET), ISSN : 2456-3307, Volume 5 Issue 5, pp. 07-09, February 2019.

Journal URL : <http://ijsrset.com/IJSRSET195502>